

LD: Tiana Alderson

Director: Michael Mueller

Location: Campus Theatre

Master Electrician: Matt Mueller

HL Boom

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Source 4 26deg - SC-G	TBD	(501)	1/171	73		R132
2	ETC S4 10°	TBD	(502)	1/509	75		
3	Source 4 26deg - SC-G	TBD	(503)	1/175	76		R132

HR Boom

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Source 4 19deg SC-G	TBD	(511)	1/179	68	<input type="radio"/> R132	
2	ETC S4 10°	TBD	(512)	1/509	69		
3	Source 4 26deg - SC-G	TBD	(513)	1/183	70	<input type="radio"/> R132	

Beam 1

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	ETC Lustr 2 26°	Warm Fill	(26)	10/121		<input checked="" type="radio"/> R119	
2	Source 4 26deg - SC-G	Front Lt	(20)	2/123	14	<input checked="" type="radio"/> R132	
3	Source 4 19deg SC-G	Front Lt	(15)	2/127	17	<input checked="" type="radio"/> R132	
5	ETC Lustr 2 26°	Warm Fill	(25)	10/131		<input checked="" type="radio"/> R119	
6	Source 4 14°	Specials	(106)		13		
6	Iris		(106)	2/197			
6	I-Cue		(106)	2/193			
7	Source 4 26deg - SC-G	Front Lt	(19)	2/115	11	<input checked="" type="radio"/> R132	
8	Source 4 19deg SC-G	Front Lt	(14)	2/119	10	<input checked="" type="radio"/> R132	
9	ETC Lustr 2 26°	Warm Fill	(24)	10/141		<input checked="" type="radio"/> R119	
10	Source 4 26deg - SC-G	Front Lt	(18)	2/107	19	<input checked="" type="radio"/> R132	
11	Source 4 19deg SC-G	Front Lt	(13)	2/111	18	<input checked="" type="radio"/> R132	
12	ETC Lustr 2 26°	Cool Fill	(36)	10/151		<input checked="" type="radio"/> R119	
13	Source 4 26deg - SC-G	Front Lt	(17)	2/99	16	<input checked="" type="radio"/> R132	
14	Source 4 19deg SC-G	Front Lt	(12)	2/103	15	<input checked="" type="radio"/> R132	
15	Source 4 14°	Specials	(105)		12		
15	Iris		(105)	2/191			
15	I-Cue		(105)	2/187			
16	ETC Lustr 2 26°	Cool Fill	(35)	10/161		<input checked="" type="radio"/> R119	
18	Source 4 26deg - SC-G	Front Lt	(16)	2/95	8	<input checked="" type="radio"/> R132	
19	Source 4 19deg SC-G	Front Lt	(11)	2/91	9	<input checked="" type="radio"/> R132	
20	ETC Lustr 2 26°	Cool Fill	(34)	10/171		<input checked="" type="radio"/> R119	

Beam 2

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	ETC Lustr 2 26°	Warm Fill	(23)	2/82		<input type="radio"/> R119	
3	Source 4 19deg SC-G	Front Lt	(10)	2/167	43	<input type="radio"/> R132	
4	Source 4 19deg SC-G	Front Lt	(5)	2/163	40	<input type="radio"/> R132	
5	Source 4 14°	Specials	(104)		37		
5	Iris		(104)	2/221			
5	I-Cue		(104)	2/217			
6	ETC Lustr 2 26°	Warm Fill	(22)	2/73		<input type="radio"/> R119	
7	Source 4 19deg SC-G	Front Lt	(9)	2/159	35	<input type="radio"/> R132	
8	Source 4 19deg SC-G	Front Lt	(4)	2/155	31	<input type="radio"/> R132	
9	Source 4 14°	Specials	(103)		30		
9	Iris		(103)	2/215			
9	I-Cue		(103)	2/211			
10	ETC Lustr 2 26°	Warm Fill	(21)	2/64		<input type="radio"/> R119	
11	Source 4 19deg SC-G	Front Lt	(8)	2/151	26	<input type="radio"/> R132	
12	Source 4 19deg SC-G	Front Lt	(3)	2/147	48	<input type="radio"/> R132	
13	ETC Lustr 2 26°	Cool Fill	(33)	2/55		<input type="radio"/> R119	
14	Source 4 14°	Specials	(102)		45		
14	Iris		(102)	2/209			
14	I-Cue		(102)	2/205			
15	Source 4 19deg SC-G	Front Lt	(7)	2/143	42	<input type="radio"/> R132	
16	Source 4 19deg SC-G	Front Lt	(2)	2/139	41	<input type="radio"/> R132	
17	ETC Lustr 2 26°	Cool Fill	(32)	2/46		<input type="radio"/> R119	
18	Source 4 14°	Specials	(101)		39		
18	Iris		(101)	2/203			
18	I-Cue		(101)	2/199			
19	Source 4 19deg SC-G	Front Lt	(6)	2/135	34	<input type="radio"/> R132	
20	Source 4 19deg SC-G	Front Lt	(1)	2/131	32	<input type="radio"/> R132	
22	ETC Lustr 2 26°	Cool Fill	(31)	2/37		<input type="radio"/> R119	

Beam 0.5 SL

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Chauvet Rogue 3 Wash	DN LT	(206)	2/488	24		
2	Martin Mac Viper Performance	Special	(404)	2/343	23		
3	Chauvet Rogue 3 Wash	DN LT	(205)	2/467	24		

Truss

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Chauvet Rogue 3 Wash	DN LT	(204)	2/446	22		
2	Martin Mac Viper Performance	Special	(403)	2/303	21		
3	Martin Mac Viper Performance	Special	(402)	2/263	2		
4	Chauvet Rogue 3 Wash	DN LT	(203)	2/425	22		

Beam 0.5 SR

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Chauvet Rogue 3 Wash	DN LT	(202)	2/404	6		
2	Martin Mac Viper Performance	Special	(401)	2/223	5		
3	Chauvet Rogue 3 Wash	DN LT	(201)	2/383	6		

SL Loft

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Source 4 36deg-LED Series 1	Side Lt	(64)	2/19		<input checked="" type="radio"/> R119	
2	Source 4 50deg-LED Series 1	Side Lt	(63)	2/28		<input checked="" type="radio"/> R119	
3	Source 4 36deg-LED Series 1	Side Lt Texture	(93)	10/61			R77774
4	Source 4 50deg-LED Series 1	Side Lt Texture	(94)	10/71			R77774
5	Source 4 50deg-LED Series 1	Side Lt	(61)	10/91		<input checked="" type="radio"/> R119	
6	Source 4 36deg-LED Series 1	Side Lt	(62)	10/81		<input checked="" type="radio"/> R119	
7	Source 4 36deg-LED Series 1	Side Lt Texture	(91)	10/101			R77774
8	Source 4 50deg-LED Series 1	Side Lt Texture	(92)	10/111			R77774

SR Loft

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Source 4 36deg-LED Series 1	Side Lt	(44)	2/1		<input checked="" type="radio"/> R119	
2	Source 4 50deg-LED Series 1	Side Lt	(43)	2/10		<input checked="" type="radio"/> R119	
3	Source 4 36deg-LED Series 1	Side Lt Texture	(84)	10/1			G630
4	Source 4 50deg-LED Series 1	Side Lt Texture	(7)	10/11			G630
5	Source 4 36deg-LED Series 1	Side Lt	(42)	10/21		<input checked="" type="radio"/> R119	
6	Source 4 50deg-LED Series 1	Side Lt	(41)	10/31		<input checked="" type="radio"/> R119	
7	Source 4 36deg-LED Series 1	Side Lt Texture	(82)	10/41			G630
8	Source 4 50deg-LED Series 1	Side Lt Texture	(2)	10/51			G630

Electric 1

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
	Martin RUSH PAR 2 CT Zoom						
	Chauvet Rogue 3 Wash						
1	ETC Lustr 2 50°	Side Lt	(67)	11/51		<input checked="" type="radio"/> R119	
2	Chauvet Rogue 3 Wash	DN LT	(211)				
3	Martin RUSH PAR 2 CT Zoom	Bk Lt	(306)				
4	ETC Lustr 2 36°	Side Lt	(66)	11/41		<input checked="" type="radio"/> R119	
5	Martin RUSH PAR 2 CT Zoom	Bk Lt	(305)	11/101			
6	Chauvet Rogue 3 Wash	DN LT	(210)	11/221			
7	Martin RUSH PAR 2 CT Zoom	Bk Lt	(304)	11/91			
8	ETC Lustr 2 36°	Side Lt	(47)	11/31		<input checked="" type="radio"/> R119	
9	Chauvet Rogue 3 Wash	DN LT	(209)	11/191			
10	ETC Lustr 2 36°	Side Lt	(65)	11/21		<input checked="" type="radio"/> R119	
11	Martin RUSH PAR 2 CT Zoom	Bk Lt	(303)	11/81			
12	Chauvet Rogue 3 Wash	DN LT	(208)	11/161			
13	Martin RUSH PAR 2 CT Zoom	Bk Lt	(302)	11/71			
14	ETC Lustr 2 36°	Side Lt	(46)	11/11		<input checked="" type="radio"/> R119	
15	Martin RUSH PAR 2 CT Zoom	Bk Lt	(301)	11/61			
16	Chauvet Rogue 3 Wash	DN LT	(207)	11/131			
17	ETC Lustr 2 50°	Side Lt	(45)	11/1		<input checked="" type="radio"/> R119	

Electric 1A

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Martin Mac Viper Profile	Special	(413)	16/161			
3	Martin Mac Viper Profile	Special	(412)	16/81			
4	Martin Mac Viper Performance	Special	(406)	16/401			
5	Martin Mac Viper Profile	Special	(411)	16/41			

Electric 2

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	ETC Lustr 2 50°	Side Lt	(70)	12/51		<input checked="" type="radio"/> R119	
2	Chauvet Rogue 3 Wash	DN LT	(216)	12/251			
3	Martin RUSH PAR 2 CT Zoom	Bk Lt	(312)	12/111			
4	ETC Lustr 2 36°	Side Lt	(69)	12/41		<input checked="" type="radio"/> R119	
5	Martin RUSH PAR 2 CT Zoom	Bk Lt	(311)	12/101			
6	Chauvet Rogue 3 Wash	DN LT	(215)	12/221			
7	Martin RUSH PAR 2 CT Zoom	Bk Lt	(310)	12/91			
8	ETC Lustr 2 36°	Side Lt	(50)	12/31		<input checked="" type="radio"/> R119	
9	Chauvet Rogue 3 Wash	DN LT	(214)	12/191			
10	ETC Lustr 2 36°	Side Lt	(68)	12/21		<input checked="" type="radio"/> R119	
11	Martin RUSH PAR 2 CT Zoom	Bk Lt	(309)	12/81			
12	Chauvet Rogue 3 Wash	DN LT	(213)	12/161			
13	Martin RUSH PAR 2 CT Zoom	Bk Lt	(308)	12/71			
14	ETC Lustr 2 36°	Side Lt	(49)	12/11		<input checked="" type="radio"/> R119	
15	Martin RUSH PAR 2 CT Zoom	Bk Lt	(307)	12/61			
16	Chauvet Rogue 3 Wash	DN LT	(212)	12/131			
	Martin RUSH PAR 2 CT Zoom						
	Chauvet Rogue 3 Wash						
17	ETC Lustr 2 50°	Side Lt	(48)	12/1		<input checked="" type="radio"/> R119	

Electric 3

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	ETC Lustr 2 50°	Side Lt	(73)	13/51		<input checked="" type="radio"/> R119	
2	Chauvet Rogue 3 Wash	DN LT	(221)	13/251			
3	Martin RUSH PAR 2 CT Zoom	Bk Lt	(318)	13/111			
4	ETC Lustr 2 36°	Side Lt	(72)	13/41		<input checked="" type="radio"/> R119	
5	Martin RUSH PAR 2 CT Zoom	Bk Lt	(317)	13/101			
6	Chauvet Rogue 3 Wash	DN LT	(220)	13/221			
7	Martin RUSH PAR 2 CT Zoom	Bk Lt	(316)	13/91			
8	ETC Lustr 2 36°	Side Lt	(71)	13/31		<input checked="" type="radio"/> R119	
9	Chauvet Rogue 3 Wash	DN LT	(219)	13/191			
10	ETC Lustr 2 36°	Side Lt	(53)	13/21		<input checked="" type="radio"/> R119	
11	Martin RUSH PAR 2 CT Zoom	Bk Lt	(315)	13/81			
12	Chauvet Rogue 3 Wash	DN LT	(218)	13/161			
13	Martin RUSH PAR 2 CT Zoom	Bk Lt	(314)	13/71			
14	ETC Lustr 2 36°	Side Lt	(52)	13/11		<input checked="" type="radio"/> R119	
15	Martin RUSH PAR 2 CT Zoom	Bk Lt	(313)	13/61			
	Chauvet Rogue 3 Wash						
	Martin RUSH PAR 2 CT Zoom						
16	Chauvet Rogue 3 Wash	DN LT	(217)	13/131			
17	ETC Lustr 2 50°	Side Lt	(51)	13/1		<input checked="" type="radio"/> R119	

Electric 4

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	ETC Lustr 2 50°	Side Lt	(76)	14/51		<input checked="" type="radio"/> R119	
2	Chauvet Rogue 3 Wash	DN LT	(226)	14/281			
3	Martin RUSH PAR 2 CT Zoom	Bk Lt	(324)	14/121			
4	ETC Lustr 2 36°	Side Lt	(75)	14/41		<input checked="" type="radio"/> R119	
5	Martin RUSH PAR 2 CT Zoom	Bk Lt	(323)	14/111			
6	Chauvet Rogue 3 Wash	DN LT	(225)	14/251			
7	Martin RUSH PAR 2 CT Zoom	Bk Lt	(322)	14/101			
8	ETC Lustr 2 36°	Side Lt	(56)	14/21		<input checked="" type="radio"/> R119	
9	Chauvet Rogue 3 Wash	DN LT	(224)	14/221			
10	ETC Lustr 2 36°	Side Lt	(74)	14/31		<input checked="" type="radio"/> R119	
11	Martin RUSH PAR 2 CT Zoom	Bk Lt	(321)	14/91			
12	Chauvet Rogue 3 Wash	DN LT	(223)	14/191			
13	Martin RUSH PAR 2 CT Zoom	Bk Lt	(320)	14/81			
14	ETC Lustr 2 36°	Side Lt	(55)	14/11		<input checked="" type="radio"/> R119	
15	Martin RUSH PAR 2 CT Zoom	Bk Lt	(319)	14/61			
16	Chauvet Rogue 3 Wash	DN LT	(222)	14/131			
17	ETC Lustr 2 50°	Side Lt	(54)	14/1		<input checked="" type="radio"/> R119	

Electric 4A

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Martin Mac Viper Profile	Special	(414)	21/161			
2	Martin Mac Viper Performance	Special	(407)	16/121			
2	Martin Mac Viper Performance	Special	(408)	21/201			
3	Martin Mac Viper Profile	Special	(415)	21/81			
5	Martin Mac Viper Profile	Special	(416)	21/141			

Electric 5

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Martin RUSH PAR 2 CT Zoom	Bk Lt	(331)	15/121			
2	Chauvet Rogue 3 Wash	DN LT	(232)	15/281			
3	Martin RUSH PAR 2 CT Zoom	Bk Lt	(330)	15/111			
4	Chauvet Rogue 3 Wash	DN LT	(231)	15/251			
5	Martin RUSH PAR 2 CT Zoom	Bk Lt	(329)	15/101			
6	Chauvet Rogue 3 Wash	DN LT	(230)	15/221			
7	Martin RUSH PAR 2 CT Zoom	Bk Lt	(328)	15/91			
8	Chauvet Rogue 3 Wash	DN LT	(229)	15/191			
9	Martin RUSH PAR 2 CT Zoom	Bk Lt	(327)	15/81			
10	Chauvet Rogue 3 Wash	DN LT	(228)	15/161			
11	Martin RUSH PAR 2 CT Zoom	Bk Lt	(326)	15/71			
12	Chauvet Rogue 3 Wash	DN LT	(227)	15/131			
13	Martin RUSH PAR 2 CT Zoom	Bk Lt	(325)	15/61			

Cyc LX

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Chroma Q Color Force 72	Cyc	(608)	31/379			
2	Chroma Q Color Force 72	Cyc	(607)	31/325			
3	Chroma Q Color Force 72	Cyc	(606)	31/271			
4	Chroma Q Color Force 72	Cyc	(605)	31/217			
5	Chroma Q Color Force 72	Cyc	(604)	31/163			
6	Chroma Q Color Force 72	Cyc	(603)	31/109			
7	Chroma Q Color Force 72	Cyc	(602)	31/55			
8	Chroma Q Color Force 72	Cyc	(601)	31/1			

SSL Pipe

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	K9 Bulldog LED PAR-25deg	Running Lts	(183)	10/505	87		
2	K9 Bulldog LED PAR-25deg	Running Lts	(184)	10/509	87		

SSR Pipe

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	K9 Bulldog LED PAR-25deg	Running Lts	(181)	10/497	81		
2	K9 Bulldog LED PAR-25deg	Running Lts	(182)	10/501	81		

Deck

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Strand SL 25-50	Cyc Breakup	(531)		111		G 79660
2	Strand SL 25-50	Cyc Breakup	(531)		111		G 79660
3	Strand SL 25-50	Cyc Breakup	(532)		105		G 79660
4	Strand SL 25-50	Cyc Breakup	(532)		105		G 79660

Ground Rown

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
2	Chroma Q Color Force 12	Cyc Lt	(612)	5/15			

Ground Row

U#	Inst Type & Access	Purpose	Channel	Addr	Dimmer	Color	Gobo
1	Chroma Q Color Force 12	Cyc Lt	(611)	5/1			
3	Chroma Q Color Force 12	Cyc Lt	(613)	5/29			
4	Chroma Q Color Force 12	Cyc Lt	(614)	5/43			
5	Chroma Q Color Force 12	Cyc Lt	(615)	5/57			
6	Chroma Q Color Force 12	Cyc Lt	(616)	5/71			
7	Chroma Q Color Force 12	Cyc Lt	(617)	5/85			
8	Chroma Q Color Force 12	Cyc Lt	(618)	5/99			
9	Chroma Q Color Force 12	Cyc Lt	(619)	5/113			
10	Chroma Q Color Force 12	Cyc Lt	(620)	5/127			
11	Chroma Q Color Force 12	Cyc Lt	(621)	5/141			
12	Chroma Q Color Force 12	Cyc Lt	(622)	5/155			